Amendment to the Claims

Claims 1 -35 cancelled

- 36. (Currently Amended) An apparatus for detecting nucleic acids in a sample, the apparatus comprising an integrated device comprising:
 - a binding space for purifying the nucleic acids by immobilizing the
 nucleic acids and separating impurities,
 - (b) an amplification space for amplifying the nucleic acids comprising at least

 part of the wherein at least a part of the amplification space is identical to

 a part of the binding space, and
 - (c) a detection space for detecting the nucleic acids.
- 37. (Previously Presented) The apparatus of claim 36 further comprising reagents for purifying, amplifying and detecting the nucleic acid.
- 38. (Previously Presented) The apparatus of claim 36, wherein the detection space comprises a part of at least one of the amplification space and the binding space.
- 39. (Previously Presented) The apparatus of claim 36, wherein at least one of the binding space and the amplification space comprises a capillary space.
- 40. (Previously Presented) The apparatus of claim 39 wherein the capillary space is a capillary reaction vessel surrounded by a heatable metal layer.
- 41. (Previously Presented) The apparatus of claim 39 wherein the capillary space is glass or polystyrene.

Claims 42 - 67 (cancelled)

- 68. (Currently Amended) An apparatus for amplifying nucleic acids comprising a capillary reaction vessel surrounded by a <u>single</u> heatable metal layer wherein the layer is coated on the capillary reaction vessel.
- 69. (New) The apparatus of claim 36 further comprising a sample transport mechanism capable of transporting the sample and reagents through the binding space, the amplification space and the detection space.
- 70. (New) The apparatus of claim 36 wherein the binding space provides a surface for binding the nucleic acids.
- 71. (New) The apparatus of claim 70 wherein the binding space is defined by an inner surface of a reaction vessel, wherein the inner surface binds nucleic acids.
- 72. (New) An apparatus for detecting nucleic acids in a liquid sample, comprising:
 - (a) a space comprising a surface capable of binding nucleic acids;
 - (b) reagents for amplifying and detecting the nucleic acids that become bound to the surface;
 - (c) a sample transport mechanism capable of transporting the sample and reagents through the space.
- 73. (New) The apparatus of claim 72 further comprising reagents for purifying the nucleic acids.
- 74. (New) The apparatus of claim 72 the binding space comprises a capillary space.

- 75. (New) The apparatus of claim 72 wherein the capillary space is a capillary reaction vessel surrounded by a heatable metal layer.
- 76. (New) The apparatus of claim 72 wherein the capillary space is glass or polystyrene.